



MATERIAL SAFETY DATA SHEET

1. PRODUCT INFORMATION FOR:

USE: ICE PAINT (INDUSTRIAL USE ONLY)

ULTRA PURE ICE PAINT - COLOR PAINT(S)

WHMIS CLASS(ES): N/A

Manufacturer's Name: Ultra Pure Ice Paints

Manufacturer's Name: Ultra Pure Ice Paints

Street Address: P.O. Box 1455

Street Address: P.O. Box 1455

City: Naples

City: Naples

State: Maine

State: Maine

Zip Code: 04055

Zip Code: 04055

Telephone No: 844-484-1414

Telephone No: 844-484-1414

**24 Hr. Chemical
Emergency Telephone No:** 844-484-1414

**24 Hr. Chemical
Emergency Telephone No:** 844-484-1414

2. HAZARDOUS INGREDIENTS:

Hazardous Ingredient	%	CAS Number	LD ₅₀	LC ₅₀	TLV ¹
NOT APPLICABLE					

3. PHYSICAL & CHEMICAL PROPERTIES:

Physical state:	Liquid
Odor and appearance:	Low odor
Odor threshold:	N/A
Specific gravity:	Approx. 1.32
Vapor pressure:	Not applicable. Non flammable solid.
Vapor density:	Not applicable.
Evaporation rate:	Not applicable.
Boiling point (°F/°C):	Not applicable.
Freezing point (°F/°C):	Not applicable.
pH:	Not applicable.
Coefficient of water/oil distribution:	Not applicable.

4. STABILITY & REACTIVITY DATA:

Chemically stable:	Yes.
Incompatibility with other substances:	Strong oxidizers, strong dehydrating acids
Hazardous decomposition products:	No information.
Hazardous Reactions:	Will not occur.

5. FIRE AND EXPLOSION HAZARD:

Flammable properties:	Not flammable.
Fire fighting measures:	Alcohol foam CO2 - Dry chemical foam
Flash point (°F/°C) and method:	Not applicable
Upper flammable limit (% by volume):	Not applicable. Non flammable solid.
Lower flammable limit (% by volume):	Not applicable. Non flammable solid.
Auto-ignition temperature (°F/°C):	Not available.
Hazardous combustion products:	Carbon dioxide, carbon monoxide, soot
Explosive data:	
- Sensitivity to impact:	No
- Sensitivity to static discharge:	No

6. FIRST-AID MEASURES:

Inhalation:	Move to fresh air atmosphere. Give symptomatic treatment if necessary.
Skin Contact:	Wash with soap and water.
Eye Contact:	Wash with water or neutral eyewash solution for atleast 15 minutes.
Ingestion:	Do not induce vomiting. Give up to 200 ml. of water. In case of persistent symptoms, consult a doctor.

7. TOXICOLOGICAL PROPERTIES:

Routes of exposure:

- Skin contact: May cause slight irritation.
- Skin absorption: Not applicable.
- Eye contact: May cause irritation, burns, redness.
- Inhalation: Not a likely route of entry.
- Ingestion: May cause gastrointestinal irritation.

Teratogenicity of product: Not known to occur.

Mutagenicity of product: Not known to occur.

Reproductive Toxicity: No data.

Synergistic products: None known.

Effects of acute exposure: None known.

Effects of chronic exposure: None known.

8. PREVENTIVE MEASURES:

Personal protective equipment:

- Gloves: Work gloves.
- Respirator: Should not be required.
- Eye: Safety goggles.
- Footwear: As required by work situation.
- Clothing: As required by work situation.
- Other: Eye wash station.

Engineering controls: No special requirements.

Leak and spill procedures: Prevent entry into sewers and waterways. Absorb material with proper materials and place in a disposal drum.

Waste disposal: Please refer to local authorities for their regulations.

Handling procedures and equipment: Keep containers closed when not in use.

Storage requirements: Avoid high temperatures. Do not freeze.

Specific shipping information: Not classified according to the recommendation of the UN and not regulated as hazardous material by DOT, IMO, or TDG.

9. OTHER INFORMATION:

This material safety data sheet complements the technical data sheet for the use of our product but does not replace it. Users are asked to pay attention to the potential risks taken when a product is being used for uses other than the ones for which it has been developed.

Ultra Pure Ice Paints
P.O. Box 1455
Naples, ME 04055 - USA
(P) 844-484-1414

Responsibility for MSDS: Jeffery Stockton

Preparation of MSDS: April, 2008

While the information and recommendations in this publication are given in good faith, in all cases, it is the responsibility of the user to determine the accuracy and applicability of such information and recommendations and the suitability of any product for its own particular purpose. Nothing herein is to be construed as a warranty and any implied warranty or condition (statutory or otherwise) is excluded to the maximum extent permitted by law. While certain hazards are described in this publication, no guarantee is made that these are exhaustive. Hazards, toxicity and behaviour of the product may differ when used with in conjunction with other materials, in different processes or under different conditions.